Freeform Sear

cleaning properties

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database

Database: EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins

Term:	ŀ

scraping gauge

Display: 10 Documents in Display Format: - Starting with Number 1

Generate: O Hit List @ Hit Count O Side by Side O Image



## Search History

DATE: Thursday, October 21, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L53</u>	scrubbing gauge	0	<u>L53</u>
<u>L52</u>	scraping gauge	3	<u>L52</u>
<u>L51</u>	scrubbing sensor	4	<u>L51</u>
<u>L50</u>	scraping sensor	5	<u>L50</u>
DB=P	GPB, USPT, USOC, EPAB, JPAB; PLUR=YES; OP=ADJ		
<u>L49</u>	L47 and "gauge"	27	<u>L49</u>
<u>L48</u>	L47 and "sensor"	15	<u>L48</u>
<u>L47</u>	L45 and "scraper"	1001	<u>L47</u>
<u>L46</u>	L45 and "scrapper"	21	<u>L46</u>
<u>L45</u>	(15/93.1,97.1,104.16,111,105,104.063)![CCLS]	5970	<u>L45</u>
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L44</u>	gauge build up	4	<u>L44</u>
<u>L43</u>	gauge buildup	0	<u>L43</u>
<u>L42</u>	L41 and "sensor housing"	3	<u>L42</u>
<u>L41</u>	L32 and "cleaning"	2159	<u>L41</u>

<u>L40</u>	L39 and "sensor"	49	<u>L40</u>
<u>L39</u>	L32 and "buildup"	163	<u>L39</u>
<u>L38</u>	L32 and "builup removal"	0	<u>L38</u>
<u>L37</u>	L32 and "deposition removal"	1	<u>L37</u>
<u>L36</u>	L35 and "sensor"	14	<u>L36</u>
<u>L35</u>	L32 and "scrubber"	131	<u>L35</u>
<u>L34</u>	L33 and "sensor"	23	<u>L34</u>
L33	L32 and "scraper"	245	<u>L33</u>
DB=I	PGPB, USPT, USOC, EPAB, JPAB; PLUR=YES; OP=ADJ		
<u>L32</u>	(374/141,148,147,208,45,57,7;134/6,8,166,167;15/104.03,104.05)! [CCLS]	7312	<u>L32</u>
DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L31</u>	L29 and "sensor housing"	11	<u>L31</u>
L30	L29 and "liner"	3	<u>L30</u>
L29	L28 and "pipe"	150	<u>L29</u>
<u>L28</u>	374/148	495	L28
DB = 0	USPT; PLUR=YES; OP=ADJ	,	
<u>L27</u>	6644848.pn.	1	L27
L26	374/!	92525	<u>L26</u>
DB=I	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L25</u>	sensor installed in liner	0	<u>L25</u>
<u>L24</u>	pipe having sensor	0	<u>L24</u>
<u>L23</u>	cleaning sensor shield	0	<u>L23</u>
<u>L22</u>	cleaning sensor casing	0	<u>L22</u>
<u>L21</u>	cleaning sesnor buildup	0	<u>L21</u>
DB=0	USPT; PLUR=YES; OP=ADJ		
L20	4060807.pn.	1	<u>L20</u>
DB=I	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ		
<u>L19</u>	cleaning sensor housing	2	<u>L19</u>
L18	L17 and "temperature sensor"	2	<u>L18</u>
<u>L17</u>	L16 and "protective liner"	3	<u>L17</u>
<u>L16</u>	(conduit) and (scraper)	7666	<u>L16</u>
DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI; PLUR=YES; OP=ADJ	•	
<u>L15</u>	401255984	1	<u>L15</u>
DB = 0	USPT; PLUR=YES; OP=ADJ		
<u>L14</u>	2765660.pn.	1	<u>L14</u>
<u>L13</u>	2206006.pn.	1	<u>L13</u>
<u>L12</u>	4912799.pn.	1	<u>L12</u>
<u>L11</u>	4663794.pn.	1	<u>L11</u>
<u>L10</u>	4663794.pn.	1	<u>L10</u>
<u>L9</u>	6553602.pn.	1	<u>L9</u>
<u>L8</u>	1597017.pn.	1	<u>L8</u>

Freeform Search		Pág	Page 3 of 3		
	•				
•	<u>L7</u>	4575261.pn.	1	<u>L7</u>	
	DB = B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ			
	<u>L6</u>	pipe scrubber	53	<u>L6</u>	
	<u>L5</u>	(protective liner) and (pipe scrubber)	0	<u>L5</u>	
	<u>L4</u>	(protective liner) and (snow scrubber) and (sensor)	0	<u>L4</u>	
	<u>L3</u>	(protective liner) and (scraper) and (sensor)	4	<u>L3</u>	
	L2	(protective shield) and (scraper)	78	<u>L2</u>	
	LI	scraping protective shield	0	<u>L1</u>	

## END OF SEARCH HISTORY